APPLICATION FOR CONSTRUCTION PERMIT

The following engineering statement and attached exhibits have been prepared for The Radio Board of the Victory Christian Center Assembly of God, Inc. and are in support of their application for a new FM broadcast station to serve Seelyville, Indiana.

The proposed facility would operate with a maximum effective radiated power of 6.0 KW. and with the center of radiation at 100 meters above average terrain. The facility would operate on channel 240 as a Class A station. This allocation has recently been made to Seelyville as the result of MM Docket No. 89-613. The window for applications for this allocation closes on December 14, 1990.

A complete analysis has been performed which demonstrates that the proposed site would be short-spaced to WPZZ at Franklin, Indiana. This short-spacing results from the intent by the applicant to operate with 6.0 KW. effective radiated power. When the original Petition for Rulemaking was filed, the maximum power for Class A facilities was 3.0 KW. At that power level, the proposed site meets all spacing criteria.

Since the facility would be short-spaced WPZZ when operating at the 6.0 KW. maximum power, a directional antenna

has been proposed to eliminate any possible interference to or from that station. The information required in accordance with Section 73.215 of the Commission's Rules and Regulations is attached.

The proposed facility will operate by remote control from the main studios which will be located in the community of Seelyville. Auxiliary power generating equipment will be installed at the transmitter site to ensure that the facility will be able to remain on-the-air during periods of national emergency or severe weather.

| | | | | FOR COMMISSION USE ONLY | | | | |
|---|------------------------------------|----------------------|---|---|--|--|--|--|
| | | | | File No. | | | | |
| Section ' | V-B - FM BROADCAST ENG | SINEERING DATA | | ASB Referral Date | | | | |
| | | | <u>. </u> | Referred by | | | | |
| Name of Applic | cant | | | | | | | |
| The Radio | n Board of the Victo | orv Christia | n Ce | nter Assembly of God, Inc. | | | | |
| Call letters (if | | 1 | | ing filed in response to a X Yes No | | | | |
| | • | window? | | | | | | |
| | | If Yes, specify | Crosing | date <u>December 14, 1990</u> | | | | |
| Purpose of App | plication: (check apprepriate best | 'esi) | | | | | | |
| X Constr | uct a new (main) facility | | co | onstruct a new auxiliary facility | | | | |
| Modify facility | existing construction permit | for main | | odify existing construction permit for auxiliary acility | | | | |
| Modify | v licensed main facility | [| M | odify licensed auxiliary facility | | | | |
| if purpose is to affected. | o modify, indicate below the | nature of change(s) | and s | specify the file number(s) of the authorizations | | | | |
| Anten | na supporting-structure heigh | ı [| Ef | fective radiated power | | | | |
| Anten | na height above average terr | ain [| Fr | requency | | | | |
| Anten | na location | [| Cı | 8.96 | | | | |
| Main S | Studio location | [| oı | her (Summerize briefly) | | | | |
| | | | | | | | | |
| Flle Numbe | r(s) | | | • | | | | |
| 1. Allocation: | | | | | | | | |
| 1. AIRCBING | | | | Class Johnsk and and have below | | | | |
| Channel No. | | ommunity to be se | rved: | Class (check enly ene bez beloe) | | | | |
| | City | County | | State X A B1 B C | | | | |
| 240 | Seelyville | Vigo · | | IN C2 | | | | |
| | | | | | | | | |
| Exact location Specify add | iress, city, county and state. If | no address, specif | y dista | ance and bearing relative to the nearest town or | | | | |
| landmark. | 0.2 km. W. of 9 No: | rth Rd., 1.6 | km. | N. of U.S. Hwy. 40; Seelyville, | | | | |
| _ | inty, Indiana | and) if mounted or | n elem | ent of an AM array, specify coordinates of center | | | | |
| | | | | e or East Longitude where applicable; otherwise, | | | | |
| | ide or West Longitude will be | | | | | | | |
| | • • | | | 0 ' " | | | | |
| Latitude | 39 30 | 10 | ongitu | de 87 19 01 | | | | |
| 3. Is the suppor application(| | at of another static | on(s) o | or proposed in another pending Yes X No | | | | |
| If Yes, give | call letter(s) or file number(s) | or both. | DNA | | | | | |
| If proposal | involves a change in height of | of an existing struc | iture : | specify existing height above ground level including | | | | |
| | other appurtenances, and lig | hting, if any. | DNA | shoom & cumming markets ground broater to at the findings | | | | |
| | | | | | | | | |

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 2)

| 4. Does the application propose to If Yes, list old coordinates. | correct previo | us site coordinates? | | | Yes X No |
|---|-------------------|---|--------------------|---------------|----------------|
| Latitude | f | " Longitude | ٥ | • | N |
| i. Has the FAA been notified of the lif Yes, give date and office we determination, if available. DateDec. 3, 1990 | here notice wa | | | Exi | Yes No. |
| 6. List all landing areas within 8 nearest runway. | km of antenna | a site. Specify distance and | bearing from struc | ture to neare | st point of |
| Landing Area | | Distance (km) | Bea | ring (degree: | s True) |
| (a) <u>Hulman</u> (b) | | 5.5 km. | | 175° | |
| . (a) Elevation: Its the nearest sets | er) | | | | |
| (i) of site above mean sea l | evel; | | | 174 | meters |
| (2) of the top of supporting appurtenances, and ligh | | | na, all other | 100 | meters |
| (3) of the top of supporting | structure abov | ve mean sea level [(aX1) + | (aX2)] | 273 | _ meters |
| (b) Height of radiation center. | ite the nearest m | eter! H - Horizontal; V - V | ertical | | |
| (I) above ground | | | | 93 | meters () |
| | | | | 93 | meters (|
| (2) above mean sea level | [(a)(1) + (b)(1)] | | | 267 | meters () |
| | | | | 267 | _ meters (|
| (3) above average terrain | | | | 100 | meters (|
| | | | | 100 | _ meters (|
| Attach as an Exhibit sketch(es) in Question 7 above, except ite specify heights and orientation | m 7(b)(3). If mo | unted on an AM directional | array element, | 1 | nibit No. |
| Effective Radiated Power: (a) ERP in the horizontal plane | , - | 6 kw(H*) | 6 kw(V*) | | |
| (b) is beam tilt proposed? | | | | | Yes X No |
| If Yes specify maximum El vertical elevational plot of | | of the tilted beam, and atta DNA kw (H*) | | l l | ibit No. NA |
| *Polarization | _ | | | | |

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 3)

| 10. | Is a directional antenna proposed? | X Yes No |
|-----|---|--------------------|
| | If Yes, attach as an Exhibit a statement with all data specified in 47 C.F.R. Section 73.316, including plot(s) and tabulations of the relative field. | Exhibit No. E-2 |
| 11. | Will the proposed facility satisfy the requirements of 47 C.F.R. Sections 78.315(a) and (b)? | X Yes No |
| | If No, attach as an Exhibit a request for waiver and justification therefor, including amounts and percentages of population and area that will not receive 3.16 mV/m service. | Exhibit No. DNA |
| 12 | Will the main studio be within the protected 3.16 mV/m field strength contour of this proposal? | X Yes No |
| | If No, attach as an Exhibit justification pursuant to 47 C.F.R. Section 73.1125. | Exhibit No. DNA |
| 13. | (a) Does the proposed facility satisfy the requirements of 47 C.F.R. Section 78.207? | Yes X No |
| | (b) If the answer to (a) is No, does 47 C.F.R. Section 73.213 apply? | Yes X No |
| | (c) If the answer to (b) is Yes, attach as an Exhibit a justification, including a summary of previous waivers. | Exhibit No. DNA |
| | (d) If the answer to (a) is No and the answer to (b) is No, attach as an Exhibit a statement describing the short spacing(s) and how it or they arose. | Exhibit No. E-3 |
| | (e) If authorization pursuant to 47 C.F.R. Section 73.215 is requested, attach as an Exhibit a complete engineering study to establish the lack of prohibited overlap of contours involving affected stations. The engineering study must include the following: | Exhibit No. E-3 |
| | Protected and interfering contours, in all directions (360°), for the proposed operation. Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as the transmitter location. | |
| | (3) When necessary to show more detail, an additional allocation study utilizing a map | |
| | with a larger scale to clearly show prohibited overlap will not occur. (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified. (5) The official title(s) of the map(s) used in the exhibits(s). | |
| | Are there: (a) within 60 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast <i>lexcept citizens bend or electer</i> radio stations, or (b) within the blanketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas, or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference? | Yes X No |
| , | If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use prior to grant of this application. (See 47 C.F.R. Sections 73.315(b), 73.316(e) and 73.318.) | Exhibit No. DNA |

| 15. | Attach as an Exhibit a 75 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in Instruction V. The map must further clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers. | Exhibit No. E-4 |
|-----|--|-----------------|
| 16. | Attach as an Exhibit <i>Ineme the source</i>) a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers. | Exhibit No. |
| | (a) the proposed transmitter location, and the radials along which profile graphs have been prepared; | |
| | (b) the 3.16 mV/m and 1 mV/m predicted contours; and | |
| | (c) the legal boundaries of the principal community to be served. | |
| 17. | Specify area in square kilometers (1 sq. mi 259 sq. km.) and population (latest census) within the predicted 1 mV/m contour. | |
| | Area 2464.5 sq. km. Population 153.296 | |
| 18. | For an application involving an auxiliary facility only, attach as an Exhibit a map (Sectional Aeronautical thant or equivalent) that shows clearly, legibly, and accurately, and with latitude and longitude markings and a scale of distance in kilometers | Exhibit No. DNA |
| | (a) the proposed auxiliary 1 mV/m contour; and | |
| | (b) the 1 mV/m contour of the licensed main facility for which the applied-for facility will be auxiliary. Also specify the file number of the license. | |
| 19. | Terrain and coverage data Ito be calculated in accordance with 47 C.F.R. Section 73.3131 | |
| | Source of terrain data: (check only one box below) | |
| | X Linearly interpolated 30-second database 75 minute topographic map | |
| | (Source: NGDC) | |
| | Other (briefly summerize) | |

| | Height of radiation center above average | Predicted Distances | | | | | | | |
|-------------------------------|--|---------------------------------------|-------------------------------------|--|--|--|--|--|--|
| Radial bearing (degrees True) | elevation of radial from 3 to 15 km (meters) | To the 3.16 mV/m contour (kilometers) | To the 1 mV/m contour (killometers) | | | | | | |
| * 100° | 83.8 | 12.6 | 22.5 | | | | | | |
| 0 | 99.1 | 16.1 | 28.4 | | | | | | |
| 45 | 93.2 | 15.5 | 27.5 | | | | | | |
| 90 | 84.0 | 12.5 | 22.3 | | | | | | |
| 195 | 84.8 | 14.9 | 26.5 | | | | | | |
| 180 | 97,4 | 15.9 | 28.2 | | | | | | |
| 225 | 116.6 | 17.5 | 30.4 | | | | | | |
| 270 | 114.5 | 17.4 | 30.2 | | | | | | |
| 315 | 110.4 | 17.0 | 29.7 | | | | | | |

*Radial through principal community, if not one of the major radials. This radial should NOT be included in the calculation of HAAT.

| 20. | Environmental | Statement/See | 47 C.F.R. | Section | 1.1301 | et seq | 1.7 |
|-----|---------------|---------------|-----------|---------|--------|--------|-----|
|-----|---------------|---------------|-----------|---------|--------|--------|-----|

| | Would a Commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact? | Yes X No |
|---|---|-------------|
| 1 | If you answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.1311. | Exhibit No. |
| | With the requirements of \$1.1306 and \$1.1307 as modified by General Docket No. 79-163. | |

CERTFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation. I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.

| Name (Typed or Printed) | Relationship to Applicant le.g., Consulting Engineeri |
|-------------------------|--|
| Donald L. Markley | Consulting Engineer |
| Signature | Address (Include ZIP Code) |
| | D.L. Markley & Associates, Inc. 2104 West Moss |
| Date | Peoria, Illinois 61604 Telephone No. (Include Area Code) |
| Dec. 5 (84) | (309) 673-7511 |
| | 7 (30) 3 0/3-/311 |

EXHIBIT E-2

DIRECTIONAL ANTENNA DATA

The proposed facility will operate with a directional antenna. The attached data contains the information required in Section 73.316 of the Commission's Rules and Regulations. In particular, the attached data contains a tabulation of the relative field of the proposed antenna system. A horizontal plane plot of the antenna pattern and a vertical plane plot of the antenna pattern.


It is noted that only one vertical plane plot is attached. It is respectfully submitted that the pattern in the vertical plane will be essentially the same at all values of azimuth.

It is respectfully submitted that the horizontal pattern contained in this exhibit demonstrates the limits on the proposed radiation. When the actual antenna is constructed, the pattern will be adjusted to be as close as possible to this pattern without exceeding any of the limits. The maximum effective radiated power at any azimuth will not exceed 6.0 KW. and will be further limited as shown on the pattern plot. The measured pattern for the antenna actually installed will be submitted to the Commission with the license application.

The maximum to minimum ratio for the proposed antenna is well below the 15 dB specified by the Commission. In addition, the rate of change does not exceed 2 dB per decade in accordance with the Commission's Rules and Regulations. The relationship between the vertically polarized and horizontally polarized components will be in accordance with the Commission's Rules and Regulations.

Proposed Directional Antenna System

| Azimuth | Erel | Prel | ERP(kw) | ERP(dBk) |
|----------------|-------|-------|---------|----------|
| 000 | 1.000 | 1.000 | 6.000 | 7.782 |
| 010 | 1.000 | 1.000 | 6.000 | 7.782 |
| 020 | 1.000 | 1.000 | 6.000 | 7.782 |
| 030 | 1.000 | 1.000 | 6.000 | 7.782 |
| 040 | 1.000 | 1.000 | 6.000 | 7.782 |
| 050 | .960 | 0.922 | 5.530 | 7.427 |
| 060 | .836 | 0.699 | 4.193 | 6.226 |
| 070 | .737 | 0.543 | 3.259 | 5.131 |
| 080 | .701 | 0.491 | 2.948 | 4.696 |
| 090 | .701 | 0.491 | 2.948 | 4.696 |
| 100 | .720 | 0.518 | 3.110 | 4.928 |
| 110 | .805 | 0.648 | 3.888 | 5.897 |
| 120 | .925 | 0.856 | 5.134 | 7.104 |
| 130 | .990 | 0.980 | 5.881 | 7.694 |
| 140 | 1.000 | 1.000 | 6.000 | 7.782 |
| 150 | 1.000 | 1.000 | 6.000 | 7.782 |
| 160 | 1.000 | 1.000 | 6.000 | 7.782 |
| 170 | 1.000 | 1.000 | 6.000 | 7.782 |
| 180 | 1.000 | 1.000 | 6.000 | 7.782 |
| 190 | 1.000 | 1.000 | 6.000 | 7.782 |
| 200 | 1.000 | 1.000 | 6.000 | 7.782 |
| 210 | 1.000 | 1.000 | 6.000 | 7.782 |
| 220 . | 1.000 | 1.000 | 6.000 | 7.782 |
| 230 | 1.000 | 1.000 | 6.000 | 7.782 |
| 240 | 1.000 | 1.000 | 6.000 | 7.782 |
| 250 | 1.000 | 1.000 | 6.000 | 7.782 |
| 260 | 1.000 | 1.000 | 6.000 | 7.782 |
| 270 | 1.000 | 1.000 | 6.000 | 7.782 |
| 280 | 1.000 | 1.000 | 6.000 | 7.782 |
| 290 | 1.000 | 1.000 | 6.000 | 7.782 |
| 300 | 1.000 | 1.000 | 6.000 | 7.782 |
| 310 | 1.000 | 1.000 | 6.000 | 7.782 |
| 320 | 1.000 | 1.000 | 6.000 | 7.782 |
| 330 | 1.000 | 1.000 | 6.000 | 7.782 |
| 340 | 1.000 | 1.000 | 6.000 | 7.782 |
| 350 | 1.000 | 1.000 | 6.000 | 7.782 |



HORIZONTAL RADIATION PATTERN


Relative Field Pattern

Horizontally and Vertically Polarized

Note: This pattern represents the maximum values for the proposed system. The final antenna will be adjusted as close to these values as possible without exceeding them. The maximum ERP at any azimuth is 6.0 KW.

| APPLICANT : Victory Christ. |
|-------------------------------------|
| LOCATION :Seelyville, IN |
| FREQUENCY : CH. 240A |
| POWER :6.0 KW. Max. DA |
| LATITUDE :39 DES. 30 MIN. 10 SEC. |
| LONGITUDE : 87 DEG. 19 MIN. 01 SEG. |
| WHEN USED: |
| R.M.S. FIELD: |
| Dec. 4, 1990 |
| |

D. L. MARKLEY & ASSOC., INC. Consulting Engineers



HORIZONTAL RADIATION PATTERN

Effective Radiated Power in dBk.

Horizontally and Vertically Polarized

Note: This pattern represents the maximum values for the proposed system. The final antenna will be adjusted as close to these values as possible without exceeding them. The maximum ERP at any azimuth is 6.0 KW.

| APPLICANT: Victory Christ. |
|------------------------------------|
| LOCATION : Seelyville, IN |
| FREQUENCY: CH. KG240A |
| POWER : 6.0 KW Max. DA |
| LATITUDE :39 DES. 30 MIN. 10 SEC. |
| LONGITUDE :87 DEG. 19 MIN. 01 SEG. |
| WHEN USED: |
| R.M.S. FIELD: |
| DATE : Dec. 4, 1990 |
| |

D. L. MARKLEY & ASSOC., INC. Consulting Engineers RF SPECIALTIES

ELEVATION PATTERN DATE: DECEMBER 4, 1990

FML-3DA - 3

RMS GAIN= 1.75

PROGRAM NO. FMP

BEAM TILT= 0% NULL FILL= 0%

PLOT PREPARED FOR: VICTORY CHRISTIAN FREQ: 95.9 mHz

| ELEVATION | FIELD | | • : | 1 | . 2 | . 3 | . 4 | .5 | .6 | .7 | . 8 | . 9 | 1.0 |
|-----------|-------|-----|-----|---|-----|-----|-----|----|----|----|-----|-----|-----|
| 20.00 | .024 | : * | | + | + | +- | + | + | + | +- | + | + | + |
| 18.00 | .089 | : | * | | | | | | | | | | |
| 16.00 | .217 | : | | | * | | | | | | | | |
| 14.00 | .354 | : | | | | | * | | | | | | |
| 12.00 | .494 | : | | | | | | * | | | | | |
| 10.00 | .629 | : | | | | | | | * | | | | |
| 8.00 | .751 | : | | | | | | | | | * | | |
| 6.00 | .855 | : | | | | | | | | | | * | |
| 4.00 | .934 | : | | | | | | | | | | 4 | ŧ |
| 2.00 | .983 | : | | | | | | | | | | | * |
| 0.00 | 1.000 | : | | + | + | +- | + | + | + | +- | +- | + | + |
| -2.00 | .983 | : | | | | | | | | | | | * |
| -4.00 | .934 | : | | | | | | | | | | * | t |
| -6.00 | .855 | : | | | | | | | | | | * | |
| -8.00 | .751 | : | | | | | | | | | * | | |
| -10.00 | .629 | : | | | | | | | * | | | | |
| -12.00 | .494 | : | | | | | | * | | | | | |
| -14.00 | .354 | : | | | | | * | | | | | | |
| -16.00 | .217 | : | | | * | | | | | | | | |
| -18.00 | .089 | : | * | | | | | | | | | | |
| -20.00 | .024 | :* | | | | | | | | | | | |
| -22.00 | .119 | : | | * | | | | | | | | | |
| -24.00 | .192 | : | | | * | | | | | | | | |
| -26.00 | .241 | : | | | * | ; | | | | | | | |
| -28.00 | .267 | : | | | | * | | | | | | | |
| -30.00 | .271 | : | | | | * | | | | | | | |
| -32.00 | .255 | : | | | | * | | | | | | | |
| -34.00 | .222 | : | | | * | | | | | | | | |
| -36.00 | .177 | : | | | * | | | | | | | | |
| -38.00 | .122 | : | | * | | | | | | | | | |
| -40.00 | .062 | : | * | | | | | | | | | | |
| -42.00 | .000 | : * | | | | | | | | | | | |
| -44.00 | .061 | : | * | | | | | | | | | | |
| -46.00 | .119 | : | | * | | | | | | | | | |
| -48.00 | .171 | : | | | * | | | | | | | | |
| -50.00 | .216 | : | | | * | | | | | | | • | |
| -52.00 | .253 | : | | | | * | | | | | | | |
| -54.00 | .282 | : | | | | * | | | | | | | |
| -56.00 | .303 | : | | | | * | | | | | | | |
| -58.00 | .317 | : | | | | * | | | | | | | |
| -60.00 | .324 | : | | | | * | | | | | | | |
| | | | | | | | | | | | | | |

EXHIBIT E-3

ALLOCATION STUDY

The proposed facility would be short-spaced to Radio Station WPZZ at Franklin, Indiana. This short-spacing results from the intent of the applicant to seek 6.0 KW. station as opposed to a 3.0 KW. station. The spacing criteria is met for a 3.0 KW. station which was foreseen at the time of the filing of the original Petition for Rulemaking. The regulations now permit 6.0 KW. with adequate contour protection. That protection will be provided as shown on the attached exhibits.

No other station is short-spaced to the proposed facility other than WPZZ. Radio Station WPZZ has been protected as though it operated with a full 6.0 KW. with its center of radiation at 100 meters above/terrain. In reality, WPZZ is limited to well below those values.

WPZZ is currently short-spaced to WFMS at Indianapolis.

This short-spacing is extremely severe with an actual separation of 29.2 kilometers while the required distance is 69 kilometers. However, in accordance with the Commission's Rules and Regulations, the protection to WPZZ assumes that they are operating with maximum possible Class A facilities.


Single Channel Study For: Seelyville, IN On Ch. 240 A - 95.9 Mhz.


States Searched: IL, IN, OH, KY, MI 39° 30′ 10" N. Run Date: 12-05-1990 87° 19′ 01" W.


| CHANNEI | L ALLO | TMENT (| OR STATION | CL | ASS | CALC | CULATED (MI.) | - REQUIRED KM. | BEARING Deg. T. |
|---------|---------|-------------|------------|----|-----|--------|---------------|----------------|--------------------|
| | WNDI-FM | | Sullivan | IN | A | 46.8 | (29.1) | 31 | 193.5 |
| 238 | | NO CONE | FLICT | | | | | | |
| 239 V | WCRC | LIC | Effingham | IL | В | 116.0 | (72.1) | 113 | 248.1 |
| 239 | | USED | Attica | IN | Α | 87.8 | (54.6) | 72 | 3.9 |
| 239 V | WBQR | CP | Attica | | A | | (60.4) | 72 | 8.4 |
| 240 V | WPZZ | LIC | Franklin | IN | Α | *107.4 | (66.7) | 115 | 89.0 |
| 240 | | VACANT | Seelyville | IN | Α | * 2.5 | (1.5) | 115 | 104.5 |
| 241 V | WSTO | LIC | Owensboro | KY | C | 192.1 | (119.4) | 165 | 181.1 |
| 242 | | NO CONI | FLICT | | | | | | |
| 243 V | WAZY | LIC | Lafayette | IN | В | 99.1 | (61.6 |) 69 | 9.1 |
| 293 | | NO CONFLICT | | | | | | | |
| 294 | | NO CONI | FLICT | | | | | | |

*-Short Spaced Only listings with clearances less than 32 Km. are shown.


This study utilized a copy of the FCC FM Database as published monthly by the National Technical Information Service. D. L. Markley & Associates, Inc. believes this information to be accurate and current. However, D. L. Markley & Associates, Inc. does not assume any responsibility for any erroneous or incomplete data furnished as part of that database.









1962 PHOTOREVISED 1972 AMS 3563 III SE-SERIES V851







Map Source: St. Louis Sectional Aeronautical Chart.

Area: 2464.5 sq. km.

Population: 153,296

EXHIBIT E-5

PROPOSED SERVICE CONTOURS
THE RADIO BOARD OF THE
VICTORY CHRISTIAN CENTER
ASSEMBLY OF GOD, INC.
FM CH. 240A 6.0 KW.
SEELYVILLE, INDIANA

Amerdment File vo. ORIGINAL 9+0326 mg

RECEIVED

MAR 26 1991

Federal Communications Commission

LAW OFFICES

REDDY, BEGLEY & MARTIN

2 23084 MOTREET N. W.

WASHINGTON, D.C. 20036

U 1202 559-5700

Office of the Secretary

EDWARD B. REDDY
(1915-1990)

COUNSEL ROBERT W. HEALY

TELECOPIER NUMBER (202) 659-5711

March 26, 1991

Ms. Donna R. Searcy Secretary Federal Communications Commission Washington, D.C. 20554

Re: Amendment to FM Application

Seelyville, Indiana File No. BPH-901217MJ

Dear Ms. Searcy:

DENNIS F. BEGLEY

MATTHEW H. MCCORMICK

HARRY C. MARTIN

CHERYL A. KENNY

TROY F. TANNER ANDREW S. KERSTING

Transmitted herewith, in triplicate, on behalf of The Radio Ministries Board of Victory Christian Center Assembly of God, Inc., is an amendment to its above-referenced application for a new FM broadcast station at Seelyville, Indiana. Since this amendment is being filed within 30 days after public notice of the acceptance for tender of the Seelyville application, it is being filed as a matter of right pursuant to §73.3522(a)(6) of the rules.

Should there be any questions concerning this matter, please contact this office directly.

Very truly yours,

CHERYL/A. KENNY

Counsel for

THE RADIO MINISTRIES BOARD OF VICTORY CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

Enclosure CAK/hwa



BEFORE THE

MAR 2 6 1991

Hederal Communications Commission Federal Communications Commission

Office of the Secretary

WASHINGTON, D. C. 20554 In re Application of File No. BPH-901217MJ THE RADIO MINISTRIES BOARD OF VICTORY CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

For a New FM Broadcast Station at Seelyville, Indiana

AMENDMENT

The Radio Ministries Board of Victory Christian Center Assembly of God, Inc. hereby amends its above-referenced application for a new FM broadcast station at Seelyville, Indiana as follows:

- Substitute the attached pages 3(A) and 3(B), A. concerning parties to the application, for the corresponding pages currently on file.
- В. Substitute the attached page 4 for the corresponding page currently on file.
- C. Substitute the attached Exhibits numbers 1 and 3 for the corresponding Exhibits 1 and 3 currently on file.
 - D. Add the attached Exhibit 1-A.
 - Add the attached engineering statement.

Executed this 25^{7} day of March, 1991.

THE RADIO MINISTRIES BOARD OF VICTORY CHRISTIAN CENTER ASSEMBLY OF GOD, INC.

Chairman of

Radio Ministries Board

Section II - LEGAL QUALIFICATIONS (Page 2)

6. List the applicant, parties to the application and non-party equity owners in the applicant. Use one column for each individual or entity. Attach additional pages if necessary.

[Read carefully - The numbered items below refer to line numbers in the following table.]

- Name and residence of the applicant and, if applicable, its officers, directors, stockholders, or partners (if other than individual also show name, address and citizenship of natural person authorized to vote the stock). List the applicant first, officers next, then directors and, thereafter, remaining stockholders and partners.
- 2. Citizenship.
- 3. Office or directorship held.
- 4. Number of shares or nature of partnership interests.
- 5. Number of votes.

- 6. Percentage of votes.
- 7. Other existing attributable interests in any broadcast station, including the nature and size of such interests.
- 8. All other ownership interests of 5% or more (whether or not attributable), as well as any corporate officership or directorship, in broadcast, cable, or newspaper entities in the same market or with overlapping signals in the same broadcast service, as described in 47 C.F.R. Section 73.3555 and 76.501, including the nature and size of such interests and the positions held.

| 1. | The Radio Ministries Board of Victory Christian Center Assembly of God, Inc. 9400 Wabash Avenue Terre Haute, IN 47803 | Larry G. Riley 8101 East Acorn Lane Terre Haute, IN 47805 | Janice Bender 7358 Wabash Avenue Terre Haute, IN 47803 |
|----|---|---|--|
| 2. | N/A | U.S.A. | U.S.A. |
| 3. | N/A | Chairman of the Board | Board Member |
| 4. | 3 Board Members, each with 1 vote | 1 vote out of 3 | 1 vote cut of 3 |
| Б. | 3 Vot:es | 1 | 1 |
| 6. | | 33 1/3% | 33 1/3% |
| 7. | N | | Nana |
| | None | None | None |
| 8. | | | |
| | None | None | None |

FCC 301 (Page 3)